

Centrifugal Fans


KYZ series



Summary

KYZ series centrifugal fans are specially designed for the air-conditioning. The flow rate and total pressure range of this series fan are from 800m³/h to 5000m³/h. It is the ideal equipment for the changeable air conditioners, tube type units and HVAC system.


Nomenclature




Instruction

The rated motor power as calculated herein might not be sufficient to drive the fan with an unrestricted discharge flow. Operating the fan with an unrestricted discharge outlet will result in flow rate that exceeds the specified fan capabilities. Such operation will quickly burn the motor and damage the fan. Great care must be taken in operating the fan to make sure that the maximum rated flows, as provided on the performance charts in this catalog, are not exceeded.

KYZ 7-7 I 150W-4P




KYZ 7-7 I 200W-4P




Type: KYZ 7-7 I			m: 9.1 kg				P _N : 150W-4P		
			U: 220 v				f ₁ : 50HZ		
			I _N : 1.6 A				IP: IP20/IP54		
	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1396	56.3	63.7	62.5	65.7	62.4	61.3	59.9	70.9
B	1351	55.4	63.3	61.8	65.8	63.1	62.4	60.2	71.0
C	1319	54.6	62.8	62.1	66.7	64.8	64.2	60.8	71.9
D	1275	54.9	63.6	63.3	67.4	64.9	65.0	61.5	72.5
E	1197	54.8	63.7	64.3	68.4	65.9	66.3	61.8	73.4
F	1161	55.7	64.5	65.6	69.8	67.0	67.5	62.6	74.6

Type: KYZ 7-7 I			m: 9.4 kg			P _N : 200W-4P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 1.8 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1421	58.2	64.6	62.7	66.4	63.1	62.0	53.3	71.4
B	1407	56.9	63.9	62.3	66.6	63.5	62.7	54.4	71.3
C	1386	55.4	63.6	62.8	67.8	64.8	64.3	56.6	72.2
D	1370	55.2	64.6	63.3	68.3	65.5	65.5	58.0	73.0
E	1350	55.1	65.1	64.0	69.9	66.5	66.8	59.6	74.2
F	1316	55.3	65.2	65.3	71.0	68.1	68.6	61.8	75.4


Overall Size Note: Dimensions in mm



Power	150W-4P	200W-4P
L	65	65




KYZ 7-7 III 150W-4P



Type:		m: 8.40 kg						P _N : 150W-4P			
		KYZ 7-7 III						U: 220 v		f ₁ : 50HZ	
								I _N : 1.6 A			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)		
A	1342	54.7	64.8	66.8	66.5	63.7	62.7	60.4	72.5		
B	1316	52.7	62.7	68.1	66.5	64.2	63.3	60.8	72.8		
C	1295	51.2	61.6	67.4	67.0	64.9	64.0	61.3	72.8		
D	1265	51.4	62.4	67.1	68.1	65.9	65.1	62.0	73.5		
E	1202	52.3	63.3	67.5	69.9	67.4	66.7	63.0	74.7		
F	1120	53.2	63.8	67.8	71.2	68.5	67.9	64.2	75.8		



KYZ 7-7 III 200W-4P




Type: KYZ 7-7 III			m: 8.7 kg			P _N : 200W-4P			
			U: 220 v			f : 50HZ			
			I _N : 1.8 A 1			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	1342	55.6	65.1	64.0	67.0	64.3	63.2	55.7	72.1
B	1316	56.5	65.2	63.6	66.8	64.4	63.0	55.7	72.0
C	1265	53.1	63.4	63.7	68.2	65.8	64.9	58.3	72.7
D	1202	52.2	63.3	65.5	69.9	67.6	66.8	60.7	74.4
E	1163	53.2	63.8	66.4	71.2	68.6	67.9	62.3	75.5
F	1120	54.0	64.3	67.3	72.0	69.3	68.7	63.3	76.3

Overall Size Note: Dimensions in mm


Power	150W-4P	200W-4P
L	65	65



KYZ 8-7 III 200W-6P



KYZ 8-7 III 300W-4P




Type: KYZ 8-7 III			m: 9.15 kg			P _N : 200W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 2.0 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	976	58.9	57.9	59.7	61.0	56.9	53.6	45.8	66.4
B	967	59.0	57.6	59.4	62.0	58.5	55.8	47.8	67.0
C	963	58.7	59.0	60.0	62.7	59.7	57.8	49.2	67.8
D	955	59.5	60.7	61.2	64.0	61.9	60.6	52.8	69.4
E	952	59.7	62.4	61.8	65.0	63.1	61.9	54.7	70.5
F	947	60.1	63.6	63.7	66.3	64.4	63.3	56.3	71.8


Type: KYZ 8-7 III			m: 11.95 kg			P _N : 300W-4P			
			U: 220 v			f _i : 50HZ			
			I _N : 3.7 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	1389	59.1	66.7	67.8	69.6	70.1	68.2	62.9	76.0
B	1366	62.1	68.6	64.7	68.9	67.1	65.8	61.3	74.8
C	1343	62.5	68.9	65.2	69.1	67.6	66.5	61.9	75.2
D	1319	61.9	69.0	66.1	69.4	68.2	67.5	62.5	75.6
E	1300	61.8	69.6	67.4	70.8	69.5	69.3	64.0	76.8
F	1244	61.7	69.8	69.1	72.6	71.1	71.0	65.9	78.2

Overall Size


Note: Dimensions in mm



Power	200W-6P	300W-4P
L	80	80




KYZ 8-8 I 200W-6P



Type: KYZ 8-8 I			m: 14.05 kg			P _N : 200W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 2.0 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	965	55.7	64.2	61.3	68.5	61.4	57.6	57.1	71.4
B	955	55.5	64.1	62.2	68.2	64.1	61.4	57.7	72.0
C	951	56.5	64.5	64.4	68.4	65.1	63.0	58.5	72.8
D	931	58.0	65.2	64.5	67.8	67.2	67.0	60.9	73.8
E	921	58.7	66.1	64.6	67.9	68.5	68.8	62.1	74.8
F	906	58.5	66.1	66.2	69.5	69.9	70.7	63.5	76.2



KYZ 8-8 I 300W-4P




Type: KYZ 8-8 I			m: 13.35 kg			P _N : 300W-4P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 3.7 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1370	62.6	69.7	66.1	67.9	67.1	66.9	61.5	75.2
B	1338	62.0	67.7	65.4	68.5	67.7	67.8	62.0	75.0
C	1310	60.6	68.4	65.3	68.9	68.3	68.5	62.4	75.4
D	1260	60.9	69.0	64.8	69.6	69.1	69.5	63.4	76.1
E	1160	61.8	68.4	65.8	70.8	70.1	70.8	64.2	76.9
F	1051	61.1	67.9	66.2	71.1	70.5	71.4	64.5	77.2

Overall Size

Note: Dimensions in mm




KYZ 8-9 III 200W-6P



Type: KYZ 8-9 III			m: 9.85 kg				P _N : 200W-6P		
			U: 220 v				f ₁ : 50HZ		
			I _N : 2.0 A				IP: IP20/IP54		
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	970	57.4	59.8	56.0	59.2	56.6	54.6	48.4	65.5
B	963	57.1	59.0	56.7	59.9	58.3	55.4	47.8	65.8
C	959	58.0	61.5	58.6	62.4	61.4	59.5	51.5	68.4
D	950	58.5	62.3	59.9	63.5	62.5	60.6	53.0	69.4
E	942	59.0	63.1	62.6	64.3	63.4	61.5	54.0	70.5
F	934	59.6	63.9	63.8	65.4	64.4	62.3	55.1	71.7


KYZ 8-9 III 300W-4P




Type: KYZ 8-9 III			m: 11.95 kg				P _N : 300W-4P		
			U: 220 v				f ₁ : 50HZ		
			I _N : 3.7 A				IP: IP20/IP54		
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1423	60.7	68.1	64.8	67.1	66.1	64.5	56.8	73.7
B	1403	60.7	68.1	64.8	67.1	66.1	64.5	56.4	73.6
C	1373	60.4	67.4	62.8	67.0	66.5	64.8	57.5	73.3
D	1333	61.7	69.7	63.8	68.5	67.5	66.3	59.5	74.9
E	1299	61.9	69.4	64.5	69.6	68.4	67.7	60.7	75.6
F	1218	62.3	70.1	66.9	72.3	71.0	70.8	62.9	77.8

Overall Size


Note: Dimensions in mm



Power	200W-6P	300W-4P
L	85	80




KYZ 9-7 I 375W-4P



Type: KYZ 9-7 I			m: 14.85 kg			P _N : 375W-4P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 4.2 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1427	63.0	68.9	67.0	67.7	65.8	64.4	56.6	74.4
B	1401	61.9	68.4	67.5	68.5	66.4	65.9	58.5	74.8
C	1380	60.6	67.3	66.5	69.2	66.6	66.4	59.4	74.6
D	1348	58.2	66.1	67.1	69.4	67.2	67.5	60.6	74.9
E	1307	56.0	64.6	66.3	70.0	67.7	68.4	61.4	75.0
F	1253	55.8	64.5	66.4	70.8	68.5	69.4	62.6	75.7


KYZ 9-7 I 375W-6P




Type: KYZ 9-7 I			m: 15.7 kg			P _N : 375W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 3.5 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	969	55.0	63.4	59.3	61.7	60.1	57.8	48.7	68.2
B	952	53.0	60.1	61.4	64.5	62.9	62.7	53.7	69.8
C	937	53.2	61.2	64.0	67.6	65.9	66.9	59.2	72.9
D	924	56.1	63.3	65.5	69.4	68.0	69.2	62.0	74.9
E	909	58.5	65.5	66.8	71.0	69.9	71.0	64.4	76.7
F	895	59.8	66.6	67.8	72.2	71.1	72.5	66.1	78.0

Overall Size


Note: Dimensions in mm



Power	375W-6P	375W-4P
L	90	90




KYZ 9-7 I 150W-6P



Type: KYZ 9-7 I			m: 12.85 kg			P _N : 150W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 1.4 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	931	52.1	58.6	57.6	59.4	57.9	54.7	44.7	65.2
B	906	50.1	58.6	58.2	60.4	58.4	56.4	56.4	65.8
C	876	50.1	59.5	59.6	61.9	60.2	59.2	59.2	67.3
D	852	52.5	59.8	61.1	63.4	61.6	61.1	61.1	68.7
E	823	54.5	62.3	62.6	64.6	62.9	63.0	63.0	70.4
F	771	56.1	61.8	63.0	65.0	63.6	64.1	64.1	70.9


KYZ 9-7 I 250W-6P




Type: KYZ 9-7 I			m: 13.25 kg			P _N : 250W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 2.1 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	956	54.3	62.2	60.9	64.3	62.2	61.1	52.1	69.5
B	941	52.8	59.7	61.7	64.7	63.1	62.9	54.2	69.9
C	924	55.2	61.3	63.6	67.0	65.3	65.6	57.7	72.2
D	908	58.8	63.8	65.1	69.0	67.2	67.8	60.6	74.3
E	900	58.6	64.5	65.6	69.7	67.8	68.5	61.6	74.9
F	885	58.5	65.3	66.1	70.1	68.7	69.6	62.8	75.7

Overall Size


Note: Dimensions in mm



Power	150W-6P	250W-6P
L	80	90




KYZ 9-7 III 250W-6P



Type: KYZ 9-7 III			m: 11.7 kg				P _N : 250W-6P		
			U: 220 v				f ₁ : 50HZ		
			I _N : 2.1 A				IP: IP20/IP54		
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	970	59.3	59.4	59.0	63.5	62.3	62.1	60.0	69.6
B	963	58.7	59.6	59.5	64.0	62.3	61.5	58.6	69.5
C	950	57.2	60.4	61.1	65.3	63.1	61.5	55.2	70.1
D	939	57.2	62.1	63.0	67.2	64.7	63.6	57.9	71.8
E	930	57.8	63.2	64.3	68.4	66.2	65.3	59.8	73.2
F	915	56.3	65.0	66.7	71.1	68.7	68.1	63.0	75.7



KYZ 9-7 III 375W-4P




Type: KYZ 9-7 III			m: 13.3 kg			P _N : 375W-4P			
			U: 220 v			f _i : 50HZ			
			I _N : 4.2 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1420	64.7	70.1	68.4	70.3	68.9	66.6	60.8	76.5
B	1392	63.2	69.0	66.7	69.7	68.7	67.0	61.7	75.8
C	1326	60.7	67.7	67.3	70.6	69.7	68.4	63.7	76.3
D	1294	60.9	67.1	67.5	71.3	70.2	69.3	64.8	76.8
E	1200	61.2	68.2	68.5	72.5	71.0	70.4	66.0	77.8
F	1108	59.5	67.4	68.9	73.3	71.3	70.5	66.2	78.1

Overall Size

Note: Dimensions in mm




KYZ 9-7 III 375W-6P




Type: KYZ 9-7 III			m: 8.85 kg				P _N : 375W-6P		
			U: 220 v				f _i : 50HZ		
			I _N : 1.1 A				IP: IP20/IP54		
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	977	54.1	60.5	58.9	61.9	58.4	55.4	48.4	66.8
B	970	53.1	60.1	58.8	62.8	60.0	57.4	50.7	67.4
C	960	53.1	60.6	61.0	65.6	62.8	61.1	55.4	69.9
D	951	55.0	61.8	63.1	66.8	64.8	63.5	58.2	71.6
E	944	55.9	63.5	65.0	68.8	66.7	65.6	60.6	73.6
F	932	58.6	66.0	67.7	71.9	70.0	69.2	64.5	76.8

Overall Size Note: Dimensions in mm




KYZ 9-9 I 375W-6P



Type: KYZ 9-9 I			m: 16.55 kg			P _N : 375W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 3.5 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	975	56.9	67.5	61.7	64.4	60.9	59.8	48.9	71.0
B	950	54.1	68.5	59.9	65.7	64.5	61.1	49.8	72.1
C	923	55.7	64.3	63.6	67.3	65.5	65.6	55.9	72.6
D	902	59.7	64.1	65.7	69.4	67.9	68.2	59.8	74.7
E	873	59.4	65.3	67.1	71.0	70.0	70.5	62.8	76.6
F	840	60.3	66.4	68.6	72.5	72.0	72.5	65.0	78.3



KYZ 9-9 I 450W-4P



Type: KYZ 9-9 I			m: 16.75 kg			P _N : 450W-4P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 5.0 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1423	65.0	71.2	66.9	69.3	67.6	65.9	57.8	76.0
B	1371	64.1	70.5	66.5	69.9	68.4	66.7	58.5	76.1
C	1323	60.4	67.9	65.1	69.5	68.3	67.2	58.9	75.1
D	1261	59.4	67.6	66.7	71.1	69.8	69.1	60.7	76.3
E	1187	59.6	67.3	67.6	71.9	70.4	70.2	62.2	77.0
F	1103	59.0	66.3	67.2	71.5	70.2	70.4	62.7	76.8


Overall Size

Note: Dimensions in mm




Power	375W-6P	450W-4P
L	90	95

KYZ 9-9 I 250W-6P




Type: KYZ 9-9 I			m: 14.10 kg			P _N : 250W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 2.1 A			IP: IP20/IP54			
工况点	375W-6P n(r/min)	25Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	959	56.4	61.8	58.5	62.0	59.5	56.1	48.3	67.5
B	947	54.2	59.4	57.9	62.1	60.4	57.6	48.4	67.1
C	928	54.3	60.4	60.7	64.1	62.7	61.4	51.3	69.3
D	914	53.9	60.4	62.0	65.3	64.2	64.0	54.1	70.7
E	899	54.4	61.3	63.1	66.5	65.3	65.5	56.5	71.9
F	875	57.6	62.4	64.7	67.9	67.1	67.5	59.6	73.6

Overall Size Note: Dimensions in mm




KYZ 9-9 III 250W-6P



Type: KYZ 9-9 III			m: 12.3 kg			P _N : 250W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 2.1 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	956	57.3	60.5	58.7	60.9	58.9	56.4	50.3	67.0
B	948	55.6	60.4	59.1	62.0	60.7	58.5	52.7	67.7
C	934	55.8	60.9	61.5	64.2	62.9	61.4	55.9	69.7
D	927	57.5	62.7	63.2	65.7	64.7	63.3	58.0	71.5
E	918	57.8	63.4	64.4	66.8	65.8	64.6	59.4	72.5
F	895	59.6	65.8	66.8	69.6	68.9	68.1	62.4	75.4


KYZ 9-9 III 375W-6P




Type: KYZ 9-9 III			m: 14.75 kg			P _N : 375W-6P			
			U: 220 v			f : 50HZ			
			I _N : 3.5 A 1			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	967	60.8	66.2	61.3	61.8	59.4	57.5	50.6	69.9
B	961	60.3	65.5	61.0	62.3	60.3	58.7	52.8	69.8
C	953	58.7	63.6	61.6	64.3	63.8	61.7	55.6	70.6
D	942	59.1	64.2	63.6	65.8	64.4	63.2	58.0	71.8
E	930	60.4	65.0	65.7	68.2	66.9	65.8	60.7	73.9
F	920	60.8	65.9	67.2	70.1	68.8	68.0	62.9	75.6

Overall Size


Note: Dimensions in mm



Power	250W-6P	375W-6P
L	90	90




KYZ 9-9 III 450W-4P




Type: KYZ 9-9 III			m: 14.95 kg				P _N : 450W-4P		
			U: 220 v				f ₁ : 50HZ		
			I _N : 5.0 A				IP: IP20/IP54		
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	1399	67.9	72.3	69.9	71.2	69.5	67.5	61.7	77.9
B	1368	67.7	71.4	68.6	70.1	68.7	67.1	62.1	77.1
C	1301	62.8	69.9	69.6	72.1	70.9	69.4	64.7	77.9
D	1258	62.9	71.4	70.5	73.6	71.7	70.5	65.8	79.0
E	1203	63.4	70.5	70.3	73.8	72.5	71.6	66.8	79.3
F	1040	63.4	72.4	71.8	76.1	73.9	73.3	68.4	81.1

Overall Size

Note: Dimensions in mm




KYZ 10-8 I 375W-6P



Type: KYZ 10-8 I		m: 17.1 kg	P _N : 375W-6P						
		U: 220 v	f _i : 50HZ						
		I _N : 3.5 A	IP: IP20/IP54						
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	959	63.3	62.7	61.5	63.0	61.0	58.5	47.5	69.8
B	943	61.6	62.0	61.3	64.3	62.3	60.7	50.2	70.0
C	914	58.7	62.2	62.6	66.5	65.0	64.6	55.0	71.8
D	882	58.7	63.4	65.1	69.0	68.0	68.0	59.5	74.4
E	865	59.1	64.6	66.3	70.5	69.9	69.8	61.8	76.0
F	835	59.3	65.6	67.7	72.1	71.8	71.8	64.3	77.8


KYZ 10-8 I 550W-4P




Type: KYZ 10-8 I		m: 17.65 kg	P _N : 550W-4P						
		U: 220 v	f _i : 50HZ						
		I _N : 4.9 A	IP: IP20/IP54						
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1396	66.6	71.5	68.1	70.8	69.2	68.3	60.5	77.3
B	1372	66.6	71.5	68.1	70.8	69.2	68.3	60.5	77.3
C	1301	60.3	68.2	66.1	72.0	69.8	69.6	62.2	76.8
D	1269	60.6	68.2	66.5	73.0	70.4	70.3	63.0	77.5
E	1225	60.1	68.1	66.7	72.7	70.5	70.6	63.3	77.5
F	1172	60.2	67.8	67.3	72.7	71.0	71.0	63.6	77.7

Overall Size


Note: Dimensions in mm



Power	375W-6P	550W-4P
L	95	105




KYZ 10-8 II 550W-4P



Type: KYZ 10-8 II			m: 16.75 kg			P _N : 550W-4P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 4.9 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	1405	65.0	70.8	68.6	70.4	68.0	67.3	59.3	76.6
B	1366	64.8	71.1	68.8	71.5	68.6	68.4	60.7	77.3
C	1342	61.9	68.9	66.8	71.3	68.6	69.0	61.6	76.5
D	1310	59.7	67.1	67.1	72.0	69.6	70.2	62.9	76.9
E	1252	58.5	66.3	67.2	73.1	70.5	71.3	64.2	77.6
F	1170	59.3	66.4	67.5	74.2	71.6	72.5	65.6	78.6


KYZ 10-8 II 375W-6P




Type: KYZ 10-8 II			m: 16.20 kg			P _N : 375W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 3.5 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	940	57.1	63.7	65.9	69.5	68.8	69.4	61.8	75.2
B	918	54.0	64.9	63.7	66.0	64.7	64.9	56.4	72.1
C	887	55.3	64.7	65.6	68.8	67.9	68.5	61.4	74.7
D	864	56.2	63.9	66.7	70.5	69.9	70.9	64.1	76.4
E	839	56.8	65.0	67.6	71.8	71.2	72.3	65.7	77.7
F	810	58.1	66.0	68.3	72.8	72.2	73.4	66.9	78.7

Overall Size


Note: Dimensions in mm



Power	375W-6P	550W-4P
L	95	105




KYZ 10-10 I 450W-6P





Type: KYZ 10-10 I		m: 18.3 kg		P _N : 450W-6P					
		U: 220 v		f ₁ : 50HZ					
		I _N : 3.5 A		IP: IP20/IP54					
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	975	60.7	70.6	62.1	62.4	60.5	57.9	48.7	72.5
B	968	60.8	68.1	61.8	63.6	62.1	59.7	50.7	71.5
C	944	58.7	63.2	62.6	66.6	65.9	64.4	57.2	72.1
D	937	59.1	64.0	62.2	66.2	65.3	63.6	56.4	71.8
E	927	59.9	65.2	65.2	69.5	69.0	67.7	61.6	75.0
F	898	63.0	68.3	68.9	73.7	72.9	71.5	65.7	78.9

KYZ 10-10 I 375W-6P




Type: KYZ 10-10 I			m: 18.1 kg			P _N : 375W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 3.5 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	950	66.6	64.6	62.5	64.0	62.0	62.1	57.4	71.9
B	934	65.5	62.7	60.9	64.4	62.8	61.8	54.5	71.2
C	905	62.7	62.6	62.1	66.1	65.1	63.6	56.6	71.9
D	860	62.4	64.5	65.2	69.4	68.8	67.2	61.5	74.9
E	838	63.2	65.8	66.5	70.7	70.3	68.7	63.0	76.2
F	788	63.8	67.9	68.8	72.7	72.6	70.6	64.9	78.3

Overall Size Note: Dimensions in mm




KYZ 10-10 I 550W-4P




Type: KYZ 10-10 I			m: 18.75 kg			P _N : 550W-4P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 4.9 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1314	63.5	71.3	68.7	69.4	68.1	66.2	59.4	76.0
B	1287	60.6	68.6	70.8	66.6	65.7	63.5	55.8	75.0
C	1242	58.1	66.3	61.9	64.5	63.4	61.1	53.1	71.1
D	1207	56.7	63.6	60.5	63.6	62.4	60.1	52.1	69.6
E	1145	52.9	59.5	58.8	62.4	61.1	58.5	50.1	67.5
F	1092	51.1	57.0	60.3	60.6	59.6	56.9	48.3	66.4

KYZ 10-10 I 550W-6P




Type: KYZ 10-10 I			m: 19.45 kg			P _N : 550W-6P			
			U: 220 v			f _i : 50HZ			
			I _N : 4.7 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	961	66.0	65.6	64.9	75.6	69.0	72.0	72.1	79.4
B	955	66.0	64.7	64.4	72.8	68.9	71.3	71.0	77.9
C	940	61.7	64.2	70.7	69.6	67.3	67.6	66.9	76.1
D	920	60.7	65.7	66.0	72.0	69.7	68.9	65.5	76.6
E	887	63.0	68.4	69.1	74.9	72.9	72.3	68.9	79.6
F	832	69.1	72.0	72.9	77.9	77.2	77.1	75.1	83.8


Overall Size Note: Dimensions in mm



Power	550W-6P	550W-4P
L	105	105




KYZ 10-10 II 375W-6P



Type: KYZ 10-10 II			m: 16.5 kg			P _N : 375W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 3.5 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	964	60.3	67.6	63.0	64.6	62.2	61.0	52.3	71.7
B	936	58.0	67.4	63.0	66.2	66.3	63.9	54.6	72.8
C	908	56.9	64.9	64.6	69.0	68.2	66.6	58.6	74.2
D	870	57.3	65.8	66.1	71.5	71.2	70.0	61.9	76.7
E	836	58.0	67.0	67.5	72.5	73.1	72.1	63.9	78.3
F	805	59.5	68.3	68.8	73.6	74.6	74.2	65.6	79.9


KYZ 10-10 II 450W-6P




Type: KYZ 10-10 II			m: 17.25 kg				P _N : 450W-6P		
			U: 220 v				f ₁ : 50HZ		
			I _N : 3.7 A				IP: IP20/IP54		
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	976	59.3	75.8	61.8	64.0	61.7	58.2	48.2	76.6
B	971	59.2	76.2	62.0	64.6	62.5	59.2	49.7	77.0
C	956	57.5	75.0	62.2	67.1	66.0	63.8	55.7	76.6
D	949	56.2	72.3	63.4	68.1	67.8	65.8	57.9	75.6
E	929	57.0	69.5	65.9	71.6	71.0	69.7	61.8	77.1
F	910	58.5	67.9	67.5	73.5	73.1	72.3	64.2	78.8

Overall Size


Note: Dimensions in mm



Power	375W-6P	450W-6P
L	95	105




KYZ 10-10 II 550W-4P




Type: KYZ 10-10 II			m: 17.7 kg				P _N : 550W-4P		
			U: 220 v				f ₁ : 50HZ		
			I _N : 4.9 A				IP: IP20/IP54		
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1370	53.5	58.7	61.3	66.2	67.7	62.6	53.3	71.6
B	1327	62.4	70.8	68.2	71.1	70.7	68.9	61.3	77.3
C	1286	61.1	69.4	66.3	70.5	70.4	69.3	62.0	76.7
D	1250	59.4	68.6	65.7	70.7	70.4	69.6	62.4	76.6
E	1203	57.8	67.4	65.8	71.8	70.7	70.2	63.2	76.9
F	1152	56.8	66.7	65.8	71.1	70.9	70.5	63.5	76.8

Overall Size

Note: Dimensions in mm




KYZ 10-10 III 375W-6P



Type: KYZ 10-10 III			m: 15.4 kg			P _N : 375W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 3.5 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	936	60.4	67.0	63.3	66.2	64.5	61.7	53.1	72.3
B	901	58.1	66.9	63.6	67.9	66.4	64.5	59.5	73.4
C	881	58.8	67.1	64.7	68.4	67.1	64.7	57.8	73.9
D	865	58.5	67.6	66.1	69.5	68.5	66.1	59.6	75.0
E	838	61.0	69.4	67.4	70.8	70.4	67.7	61.4	76.6
F	811	61.8	70.2	69.5	72.5	71.9	69.3	63.2	78.1


KYZ 10-10 III 450W-6P




Type: KYZ 10-10 III			m: 16.25 kg			P _N : 450W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 3.7 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	967	65.3	69.8	66.0	66.8	64.6	62.3	53.9	74.2
B	956	64.6	70.5	65.0	67.0	64.8	62.3	54.7	74.4
C	943	61.3	69.3	64.5	67.9	66.1	63.9	56.9	74.1
D	934	60.8	68.0	65.0	68.7	67.1	65.1	58.2	74.3
E	912	60.2	68.2	67.0	71.1	69.8	67.6	61.4	76.3
F	900	61.9	70.8	68.7	72.5	71.5	69.4	63.3	78.0

Overall Size


Note: Dimensions in mm



Power	375W-6P	450W-6P
L	95	105




KYZ 10-10 III 550W-4P



Type: KYZ 10-10 III			m: 16.7 kg			P _N : 550W-4P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 4.9 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	1370	69.6	76.3	72.4	74.1	73.2	71.0	64.4	81.2
B	1345	69.2	75.6	70.8	73.1	72.1	69.7	63.5	80.2
C	1314	68.8	76.2	72.0	73.8	72.9	70.5	63.9	80.9
D	1273	67.9	74.4	69.9	72.6	71.5	69.0	62.9	79.3
E	1198	64.8	72.2	67.8	72.0	70.7	68.4	62.4	77.9
F	1121	63.4	71.1	67.4	72.0	71.0	68.8	62.5	77.6


KYZ 10-10 III 550W-6P




Type: KYZ 10-10 III			m: 18.3 kg			P _N : 550W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 4.7 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	957	61.7	71.1	64.0	66.8	64.2	62.0	54.8	74.2
B	929	59.8	69.4	65.8	69.6	68.2	65.9	59.3	75.3
C	919	61.9	69.6	67.2	71.1	69.6	67.3	60.8	76.5
D	906	61.3	70.9	68.4	72.3	71.2	69.1	62.6	77.8
E	889	63.1	71.4	69.8	73.5	72.8	70.8	64.4	79.1
F	872	63.5	71.4	71.4	75.2	74.4	72.6	66.1	80.5

Overall Size


Note: Dimensions in mm



Power	550W-6P	550W-4P
L	105	105




KYZ 12-9 I 550W-6P



Type: KYZ 12-9 I			m: 22.4 kg			P _N : 550W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 4.7 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{wa} dB (A)
A	950	60.9	69.7	64.8	66.7	63.8	62.5	52.7	73.5
B	934	61.6	67.0	64.8	67.4	65.0	64.0	53.6	73.2
C	906	61.4	66.7	66.5	68.5	66.7	65.8	55.1	74.2
D	874	60.6	65.6	68.6	70.1	68.4	68.3	57.5	75.6
E	848	61.8	65.5	68.8	70.8	69.4	69.5	59.4	76.3
F	791	62.6	65.5	69.7	71.8	70.7	71.1	62.4	77.5


KYZ 10-9 I 750W-6P




Type: KYZ 12-9 I			m: 22.8 kg			P _N : 750W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 5.4 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	962	61.9	66.3	65.4	67.4	63.9	62.4	52.7	72.8
B	944	62.2	66.2	65.7	68.1	65.3	64.3	55.1	73.5
C	934	62.3	67.0	66.6	68.9	66.3	65.6	56.8	74.4
D	915	65.8	68.1	69.3	71.5	68.8	68.4	60.3	76.8
E	892	63.8	71.7	71.9	75.0	72.3	71.7	63.8	79.9
F	874	62.4	70.0	72.1	76.2	73.5	73.2	65.4	80.7

Overall Size


Note: Dimensions in mm



Power	550W-6P	750W-6P
L	85	125




KYZ 12-12 I 550W-6P



Type: KYZ 12-12 I			m: 22.8 kg			P _N : 550W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 4.7 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	956	61.3	71.6	65.7	66.2	64.4	62.7	54.0	74.5
B	939	62.0	65.7	64.8	65.9	63.5	61.5	52.6	72.1
C	922	61.7	67.4	64.3	65.9	64.0	62.3	53.0	72.5
D	910	61.8	66.7	65.2	66.9	65.7	64.0	54.3	73.2
E	847	61.9	64.1	66.2	67.2	66.0	64.4	55.6	73.1
F	785	61.2	64.0	66.9	68.0	67.3	65.9	58.3	74.0


KYZ 10-12 I 750W-6P



Type: KYZ 12-12 I			m: 24.4 kg			P _N : 750W-6P			
			U: 220 v			f ₁ : 50HZ			
			I _N : 5.4 A			IP: IP20/IP54			
工况点	风机转速 n(r/min)	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	L _{WA} dB (A)
A	955	64.3	80.8	68.7	65.6	64.1	62.1	54.3	81.4
B	947	64.9	83.8	66.8	66.2	64.4	62.2	54.2	84.1
C	936	62.2	72.3	70.4	69.3	64.9	63.4	55.3	76.4
D	912	62.5	73.0	65.8	66.9	66.1	64.8	56.2	75.8
E	890	62.9	71.7	67.4	68.1	67.8	66.6	61.0	76.1
F	873	62.4	67.3	67.8	68.8	69.0	67.8	62.9	75.6

Overall Size

Note: Dimensions in mm



Power	550W-6P	750W-6P
L	85	125

