



T5-21 Pitch = 5mm For belt width 10mm

T2.5-16 Pitch = 2.5mm For belt width 6mm

Part No.	Type	Z	De	Df	Dm	F	L	d
18 T2.5-16	2F	18	13.80	18	10	10	16	3
19 T2.5-16	2F	19	14.60	18	10	10	16	3
20 T2.5-16	2F	20	15.40	19.5	11	10	16	3
22 T2.5-16	2F	22	17.00	23	11	10	16	3
24 T2.5-16	2F	24	18.55	23	12	10	16	3
25 T2.5-16	2F	25	19.35	23	13	10	16	3
26 T2.5-16	2F	26	20.15	25	14	10	16	3
28 T2.5-16	2F	28	21.75	25	14	10	16	3
30 T2.5-16	2F	30	23.35	28	16	10	16	3
32 T2.5-16	2F	32	24.95	32	16	10	16	3
36 T2.5-16	2F	36	28.10	36	20	10	16	3
40 T2.5-16	2F	40	31.30	38	22	10	16	3
44 T2.5-16	2	44	34.50		24	10	16	3
48 T2.5-16	2	48	37.70		26	10	16	3
60 T2.5-16	2	60	47.25		34	10	16	3

Part No.	Type	Z	De	Df	Dm	F	L	d
10 T5-21	2F	10	15.05	20	8	15	21	-
12 T5-21	2F	12	18.25	23	10	15	21	-
14 T5-21	2F	14	21.45	25	13	15	21	-
15 T5-21	2F	15	23.05	28	16	15	21	-
16 T5-21	2F	16	24.60	32	18	15	21	-
18 T5-21	2F	18	27.80	32	20	15	21	-
19 T5-21	2F	19	29.40	36	22	15	21	-
20 T5-21	2F	20	31.00	36	23	15	21	-
22 T5-21	2F	22	34.25	38	24	15	21	-
24 T5-21	2F	24	37.40	42	26	15	21	-
25 T5-21	2F	25	38.95	44	26	15	21	-
26 T5-21	2F	26	40.60	44	26	15	21	-
27 T5-21	2F	27	42.20	48	30	15	21	8
28 T5-21	2F	28	43.75	48	32	15	21	8
30 T5-21	2F	30	46.95	51	34	15	21	8
32 T5-21	2F	32	50.10	54	38	15	21	8
36 T5-21	2F	36	56.45	63	38	15	21	8
40 T5-21	2F	40	62.85	66	40	15	21	8
42 T5-21	2F	42	66.00	71	40	15	21	8
44 T5-21	2	44	69.20	-	45	15	21	8
48 T5-21	2	48	75.55	-	50	15	21	8
60 T5-21	2	60	94.65	-	65	15	21	8

T5-27 Pitch = 5mm For belt width 16mm

Part No.	Type	Z	De	Df	Dm	F	L	d
10 T5-27	2F	10	15.05	19.5	8	21	27	-
12 T5-27	2F	12	18.25	23	10	21	27	-
14 T5-27	2F	14	21.45	25	13	21	27	-
15 T5-27	2F	15	23.05	28	16	21	27	-
16 T5-27	2F	16	24.60	32	18	21	27	-
18 T5-27	2F	18	27.80	32	20	21	27	-
19 T5-27	2F	19	29.40	36	22	21	27	-
20 T5-27	2F	20	31.00	36	23	21	27	-
22 T5-27	2F	22	34.25	38	24	21	27	-
24 T5-27	2F	24	37.40	42	26	21	27	-
25 T5-27	2F	25	38.95	44	26	21	27	-
26 T5-27	2F	26	40.60	44	26	21	27	-
27 T5-27	2F	27	42.20	48	30	21	27	8
28 T5-27	2F	28	43.75	48	32	21	27	8
30 T5-27	2F	30	46.95	51	34	21	27	8
32 T5-27	2F	32	50.10	54	38	21	27	8
36 T5-27	2F	36	56.45	63	38	21	27	8
40 T5-27	2F	40	62.85	66	40	21	27	8
42 T5-27	2F	42	66.00	71	40	21	27	8
44 T5-27	2	44	69.20	-	45	21	27	8
48 T5-27	2	48	75.55	-	50	21	27	8
60 T5-27	2	60	94.65	-	65	21	27	8

T5-36 Pitch = 5mm For belt width 25mm

Part No.	Type	Z	De	Df	Dm	F	L	d
10 T5-36	2F	10	15.05	20	8	30	36	-
12 T5-36	2F	12	18.25	23	10	30	36	-
14 T5-36	2F	14	21.45	25	13	30	36	-
15 T5-36	2F	15	23.05	28	16	30	36	-
16 T5-36	2F	16	24.60	32	18	30	36	-
18 T5-36	2F	18	27.80	32	20	30	36	-
19 T5-36	2F	19	29.40	36	22	30	36	-
20 T5-36	2F	20	31.00	36	23	30	36	-
22 T5-36	2F	22	34.25	38	24	30	36	-
24 T5-36	2F	24	37.40	42	26	30	36	-
25 T5-36	2F	25	38.95	44	26	30	36	-
26 T5-36	2F	26	40.60	44	26	30	36	-
27 T5-36	2F	27	42.20	48	30	30	36	8
28 T5-36	2F	28	43.75	48	32	30	36	8
30 T5-36	2F	30	46.95	51	34	30	36	8
32 T5-36	2F	32	50.10	54	38	30	36	8
36 T5-36	2F	36	56.45	63	38	30	36	8
40 T5-36	2F	40	62.85	66	40	30	36	8
42 T5-36	2F	42	66.00	71	40	30	36	8
44 T5-36	2	44	69.20	-	45	30	36	8
48 T5-36	2	48	75.55	-	50	30	36	8
60 T5-36	2	60	94.65	-	65	30	36	8

T10-31 Pitch = 10mm For belt width 16mm

Part No.	Type	Z	De	Df	Dm	F	L	d
12 T10-31	2F	12	36.35	42	28	21	31	6
14 T10-31	2F	14	42.70	48	32	21	31	8
15 T10-31	2F	15	45.90	51	32	21	31	8
16 T10-31	2F	16	49.10	54	35	21	31	8
18 T10-31	2F	18	55.45	60	40	21	31	8
19 T10-31	2F	19	58.65	66	44	21	31	8
20 T10-31	2F	20	61.80	66	46	21	31	8
22 T10-31	2F	22	68.20	75	52	21	31	8
24 T10-31	2F	24	74.55	83	58	21	31	8
25 T10-31	2F	25	77.75	83	60	21	31	8
26 T10-31	2F	26	80.90	87	60	21	31	8
27 T10-31	2F	27	84.10	91	60	21	31	8
28 T10-31	2F	28	87.25	93	60	21	31	8
30 T10-31	2F	30	93.65	97	60	21	31	8
32 T10-31	2F	32	100.00	106	65	21	31	10
36 T10-31	2F	36	112.75	119	70	21	31	10
40 T10-31	2F	40	125.45	131	80	21	31	10
44 T10-31	2	44	138.20	-	88	21	31	10
48 T10-31	2	48	150.95	-	95	21	31	16
60 T10-31	2	60	189.15	-	110	21	31	16

T10-40 Pitch = 10mm For belt width 25mm

Part No.	Type	Z	De	Df	Dm	F	L	d
12 T10-40	2F	12	36.35	42	28	30	40	6
14 T10-40	2F	14	42.70	48	32	30	40	8
15 T10-40	2F	15	45.90	51	32	30	40	8
16 T10-40	2F	16	49.10	54	35	30	40	8
18 T10-40	2F	18	55.45	60	40	30	40	8
19 T10-40	2F	19	58.65	66	44	30	40	8
20 T10-40	2F	20	61.80	66	46	30	40	8
22 T10-40	2F	22	68.20	75	52	30	40	8
24 T10-40	2F	24	74.55	83	58	30	40	8
25 T10-40	2F	25	77.75	83	60	30	40	8
26 T10-40	2F	26	80.90	87	60	30	40	8
27 T10-40	2F	27	84.10	91	60	30	40	8
28 T10-40	2F	28	87.25	93	60	30	40	8
30 T10-40	2F	30	93.65	97	60	30	40	8
32 T10-40	2F	32	100.00	106	65	30	40	10
36 T10-40	2F	36	112.75	119	70	30	40	10
40 T10-40	2F	40	125.45	131	80	30	40	10
44 T10-40	2	44	138.20	-	88	30	40	10
48 T10-40	2	48	150.95	-	95	30	40	16
60 T10-40	2	60	189.15	-	110	30	40	16

T10-47 Pitch = 10mm For belt width 32mm

Part No.	Type	Z	De	Df	Dm	F	L	d
18 T10-47	2F	18	55.45	60	40	37	47	10
19 T10-47	2F	19	58.65	66	44	37	47	10
20 T10-47	2F	20	61.80	66	46	37	47	12
22 T10-47	2F	22	68.20	75	52	37	47	12
24 T10-47	2F	24	74.55	83	58	37	47	12
25 T10-47	2F	25	77.75	83	60	37	47	12
26 T10-47	2F	26	80.90	87	60	37	47	12
27 T10-47	2F	27	84.10	91	60	37	47	12
28 T10-47	2F	28	87.25	93	60	37	47	12
30 T10-47	2F	30	93.65	97	60	37	47	12
32 T10-47	2F	32	100.00	106	65	37	47	12
36 T10-47	2F	36	112.75	119	70	37	47	16
40 T10-47	2F	40	125.45	131	80	37	47	16
44 T10-47	2	44	138.20	-	88	37	47	16
48 T10-47	2	48	150.95	-	95	37	47	16
60 T10-47	2	60	189.15	-	110	37	47	16

T10-66 Pitch = 10mm For belt width 50mm

Part No.	Type	Z	De	Df	Dm	F	L	d
18 T10-66	2F	18	55.45	60	40	56	66	10
19 T10-66	2F	19	58.65	66	44	56	66	10
20 T10-66	2F	20	61.80	66	46	56	66	12
22 T10-66	2F	22	68.20	75	52	56	66	12
24 T10-66	2F	24	74.55	83	58	56	66	12
25 T10-66	2F	25	77.75	83	60	56	66	12
26 T10-66	2F	26	80.90	87	60	56	66	12
27 T10-66	2F	27	84.10	91	60	56	66	12
28 T10-66	2F	28	87.25	93	60	56	66	12
30 T10-66	2F	30	93.65	97	60	56	66	12
32 T10-66	2F	32	100.00	106	65	56	66	12
36 T10-66	2F	36	112.75	119	70	56	66	16
40 T10-66	2F	40	125.45	131	80	56	66	16
44 T10-66	2	44	138.20	-	88	56	66	16
48 T10-66	2	48	150.95	-	95	56	66	16
60 T10-66	2	60	189.15	-	110	56	66	16

AT5-21 Pitch = 5mm For belt width 10mm

Part No.	Type	Z	De	Df	Dm	F	L	d
12 AT5-21	2F	12	17.85	23	10	15	21	-
14 AT5-21	2F	14	21.05	25	13	15	21	-
15 AT5-21	2F	15	22.65	28	16	15	21	-
16 AT5-21	2F	16	24.20	32	18	15	21	-
18 AT5-21	2F	18	27.40	32	20	15	21	-
19 AT5-21	2F	19	29.00	36	22	15	21	-
20 AT5-21	2F	20	30.60	36	23	15	21	-
22 AT5-21	2F	22	33.85	38	24	15	21	-
24 AT5-21	2F	24	37.00	42	26	15	21	-
25 AT5-21	2F	25	38.55	44	26	15	21	-
26 AT5-21	2F	26	40.20	44	26	15	21	-
27 AT5-21	2F	27	41.80	48	30	15	21	8
28 AT5-21	2F	28	43.35	48	32	15	21	8
30 AT5-21	2F	30	46.55	51	34	15	21	8
32 AT5-21	2F	32	49.70	54	38	15	21	8
36 AT5-21	2F	36	56.05	63	38	15	21	8
40 AT5-21	2F	40	62.45	66	40	15	21	8
42 AT5-21	2F	42	65.60	71	40	15	21	8
44 AT5-21	2	44	68.80	-	45	15	21	8
48 AT5-21	2	48	75.15	-	50	15	21	8
60 AT5-21	2	60	94.25	-	65	15	21	8

AT5-27 Pitch = 5mm For belt width 16mm

Part No.	Type	Z	De	Df	Dm	F	L	d
12 AT5-27	2F	12	17.85	23	10	21	27	-
14 AT5-27	2F	14	21.05	25	13	21	27	-
15 AT5-27	2F	15	22.65	28	16	21	27	-
16 AT5-27	2F	16	24.20	32	18	21	27	-
18 AT5-27	2F	18	27.40	32	20	21	27	-
19 AT5-27	2F	19	29.00	36	22	21	27	-
20 AT5-27	2F	20	30.60	36	23	21	27	-
22 AT5-27	2F	22	33.85	38	24	21	27	-
24 AT5-27	2F	24	37.00	42	26	21	27	-
25 AT5-27	2F	25	38.55	44	26	21	27	-
26 AT5-27	2F	26	40.20	44	26	21	27	8
27 AT5-27	2F	27	41.80	48	30	21	27	8
28 AT5-27	2F	28	43.35	48	32	21	27	8
30 AT5-27	2F	30	46.55	51	34	21	27	8
32 AT5-27	2F	32	49.70	54	38	21	27	8
36 AT5-27	2F	36	56.05	63	38	21	27	8
40 AT5-27	2F	40	62.45	66	40	21	27	8
42 AT5-27	2F	42	65.60	71	40	21	27	8
44 AT5-27	2	44	68.80	-	45	21	27	8
48 AT5-27	2	48	75.15	-	50	21	27	8
60 AT5-27	2	60	94.25	-	65	21	27	8

AT5-36 Pitch = 5mm For belt width 25mm

Part No.	Type	Z	De	Df	Dm	F	L	d
12 AT5-36	2F	12	17.85	23	10	30	36	—
14 AT5-36	2F	14	21.05	25	13	30	36	—
15 AT5-36	2F	15	22.65	28	16	30	36	—
16 AT5-36	2F	16	24.20	32	18	30	36	—
18 AT5-36	2F	18	27.40	32	20	30	36	—
19 AT5-36	2F	19	29.00	36	22	30	36	—
20 AT5-36	2F	20	30.60	36	23	30	36	—
22 AT5-36	2F	22	33.85	38	24	30	36	—
24 AT5-36	2F	24	37.00	42	26	30	36	8
25 AT5-36	2F	25	38.55	44	26	30	36	8
26 AT5-36	2F	26	40.20	44	26	30	36	8
27 AT5-36	2F	27	41.80	48	30	30	36	8
28 AT5-36	2F	28	43.35	48	32	30	36	8
30 AT5-36	2F	30	46.55	51	34	30	36	8
32 AT5-36	2F	32	49.70	54	38	30	36	8
36 AT5-36	2F	36	56.05	63	38	30	36	8
40 AT5-36	2F	40	62.45	66	40	30	36	8
42 AT5-36	2F	42	65.60	71	40	30	36	8
44 AT5-36	2	44	68.80	—	45	30	36	8
48 AT5-36	2	48	75.15	—	50	30	36	8
60 AT5-36	2	60	94.25	—	65	30	36	8

AT10-31 Pitch = 10mm For belt width 16mm

Part No.	Type	Z	De	Df	Dm	F	L	d
15 AT10-31	2F	15	45.90	51	32	21	31	8
16 AT10-31	2F	16	49.10	54	35	21	31	8
18 AT10-31	2F	18	55.45	60	40	21	31	8
19 AT10-31	2F	19	58.65	66	44	21	31	8
20 AT10-31	2F	20	61.80	66	46	21	31	8
22 AT10-31	2F	22	68.20	75	52	21	31	8
24 AT10-31	2F	24	74.55	83	58	21	31	8
25 AT10-31	2F	25	77.75	83	60	21	31	8
26 AT10-31	2F	26	80.90	87	60	21	31	8
27 AT10-31	2F	27	84.10	91	60	21	31	8
28 AT10-31	2F	28	87.25	93	60	21	31	8
30 AT10-31	2F	30	93.65	97	60	21	31	8
32 AT10-31	2F	32	100.00	106	65	21	31	10
36 AT10-31	2F	36	112.75	119	70	21	31	10
40 AT10-31	2F	40	125.45	131	80	21	31	10
44 AT10-31	2	44	138.20	—	88	21	31	10
48 AT10-31	2	48	150.95	—	95	21	31	16
60 AT10-31	2	60	189.15	—	110	21	31	16

AT10-40 Pitch = 10mm For belt width 25mm

Part No.	Type	Z	De	Df	Dm	F	L	d
15 AT10-40	2F	15	45.90	51	32	30	40	8
16 AT10-40	2F	16	49.10	54	35	30	40	8
18 AT10-40	2F	18	55.45	60	40	30	40	8
19 AT10-40	2F	19	58.65	66	44	30	40	8
20 AT10-40	2F	20	61.80	66	46	30	40	8
22 AT10-40	2F	22	68.20	75	52	30	40	8
24 AT10-40	2F	24	74.55	83	58	30	40	8
25 AT10-40	2F	25	77.75	83	60	30	40	8
26 AT10-40	2F	26	80.90	87	60	30	40	8
27 AT10-40	2F	27	84.10	91	60	30	40	8
28 AT10-40	2F	28	87.25	93	60	30	40	8
30 AT10-40	2F	30	93.65	97	60	30	40	8
32 AT10-40	2F	32	100.00	106	65	30	40	10
36 AT10-40	2F	36	112.75	119	70	30	40	10
40 AT10-40	2F	40	125.45	131	80	30	40	10
44 AT10-40	2	44	138.20	—	88	30	40	10
48 AT10-40	2	48	150.95	—	95	30	40	16
60 AT10-40	2	60	189.15	—	110	30	40	16

AT10-47 Pitch = 10mm For belt width 32mm

Part No.	Type	Z	De	Df	Dm	F	L	d
18 AT10-47	2F	18	55.45	60	40	37	47	10
19 AT10-47	2F	19	58.65	66	44	37	47	10
20 AT10-47	2F	20	61.80	66	46	37	47	12
22 AT10-47	2F	22	68.20	75	52	37	47	12
24 AT10-47	2F	24	74.55	83	58	37	47	12
25 AT10-47	2F	25	77.75	83	60	37	47	12
26 AT10-47	2F	26	80.90	87	60	37	47	12
27 AT10-47	2F	27	84.10	91	60	37	47	12
28 AT10-47	2F	28	87.25	93	60	37	47	12
30 AT10-47	2F	30	93.65	97	60	37	47	12
32 AT10-47	2F	32	100.00	106	65	37	47	12
36 AT10-47	2F	36	112.75	119	70	37	47	16
40 AT10-47	2F	40	125.45	131	80	37	47	16
44 AT10-47	2	44	138.20	—	88	37	47	16
48 AT10-47	2	48	150.95	—	95	37	47	16
60 AT10-47	2	60	189.15	—	110	37	47	16

AT10-66 Pitch = 10mm For belt width 50mm

Part No.	Type	Z	De	Df	Dm	F	L	d
18 AT10-66	2F	18	55.45	60	40	56	66	10
19 AT10-66	2F	19	58.65	66	44	56	66	10
20 AT10-66	2F	20	61.80	66	46	56	66	12
22 AT10-66	2F	22	68.20	75	52	56	66	12
24 AT10-66	2F	24	74.55	83	58	56	66	12
25 AT10-66	2F	25	77.75	83	60	56	66	12
26 AT10-66	2F	26	80.90	87	60	56	66	12
27 AT10-66	2F	27	84.10	91	60	56	66	12
28 AT10-66	2F	28	87.25	93	60	56	66	12
30 AT10-66	2F	30	93.65	97	60	56	66	12
32 AT10-66	2F	32	100.00	106	65	56	66	12
36 AT10-66	2F	36	112.75	119	70	56	66	16
40 AT10-66	2F	40	125.45	131	80	56	66	16
44 AT10-66	2	44	138.20	—	88	56	66	16
48 AT10-66	2	48	150.95	—	95	56	66	16
60 AT10-66	2	60	189.15	—	110	56	66	16